

Současné trendy při rekonstrukci striktur penilní uretry

Current trends in penile urethral stricture reconstruction

Kateřina Šuldová

Urologické oddělení, Oblastní nemocnice Příbram, a. s., Příbram

Došlo: 22. 1. 2019

Přijato: 4. 3. 2019

Kontaktní adresa:

MUDr. Kateřina Šuldová
Urologické oddělení, Oblastní nemocnice
Příbram, a. s.
gen. R. Tesaříka 80, 261 01 Příbram 1
e-mail: katasu@centrum.cz

Střet zájmů: Žádný.

Prohlášení o podpoře: Autorka prohlašuje, že zpracování článku nebylo podpořeno farmaceutickou firmou.

SOUHRN

Šuldová K. Současné trendy při rekonstrukci striktur penilní uretry.

Operační řešení striktur penilní uretry patří mezi nejnáročnější úkoly rekonstrukčního urologa. Rekonstrukce jednoho centimetru penilní uretry bývá stejně náročná jako rekonstrukce čtyř centimetrů bulbární uretry. Cílem práce je provést analýzu studií z posledních tří let, týkajících se řešení striktur penilní uretry, jejichž etiologie souvisí s instrumentací, infekcemi močových cest nebo s úrazy. Zařazeny byly i striktury nejasného původu. Důležitou součástí práce je porovnání úspěšnosti uretroplastiky při užití živeného laloku nebo bukálního štěpu.

KLÍČOVÁ SLOVA

Striktura penilní uretry, uretroplastika.

SUMMARY

Šuldová K. Current trends in penile urethral stricture reconstruction.

Penile urethral strictures are the most challenging for the reconstructive urologist. Penile urethral reconstruction of one centimeter is usually equally demanding as bulbar urethral reconstruction of four centimeters. The aim of this work is to analyze the studies over the last three years, concerning penile urethral stricture surgery, which are connected with instrumentation, infections of the lower urinary tract or traumatic injuries. Strictures of unknown etiology were also included. Comparison of urethroplasty success with fasciocutaneous flap or buccal mucosal graft is the most important part of this work.

KEY WORDS

Penile urethral stricture, urethroplasty.

.....

ÚVOD

Striktura je fibrotický proces s různým stupněm spongiofibrózy, se ztrátou elasticity, kontrakcí ve všech směrech a zmenšením průsvitu uretry.