

Content

Editorial

Libor Zámečník 172

VIDEO

- Our technique of robot-assisted radical cystectomy in women
Miroslav Štursa 173

REVIEW ARTICLES

Warning time and his role in the conservative treatment of overactive bladder
Roman Zachoval, Jan Krhut 175

Postnatal activation of the hypothalamo-pituitary-gonadal axis (minipuberty) and undescended testicle
Vojtěch Fiala, Zuzana Jirásková, Marcel Drlík, Anna-Marie Rappová, Alžběta Kantorová, Radim Kočvara 182

ORIGINAL ARTICLES

Peroperative histology during robotic-assisted radical prostatectomy with lymphadenectomy: a feasibility study
Vladimír Študent ml., Daniela Kurfürstová, Daniela Skanderová, Zuzana Seifriedová, Ondřej Česák, Hana Študentová, Dana Purová, Vladimír Študent 193

The place of laparoscopy in the surgical treatment of urolithiasis
Michaela Motolová 204

CASE REPORT

Rare case of benign prostatic hyperplasia with extensive fibrolipomatous metaplasia of the prostatic stroma
Michaela Krajičková, Zuzana Špůrková, Michal Kotlář 213


INFORMATION

News from the 2021 KNOU conference
Marko Babjuk, Veronika Črepová 218

Index zdraví prostaty

VÁM POMŮŽE ROZHODNOUT

- výrazně zpřesňuje diagnostiku KP, zejména v tzv. šedé zóně hodnot PSA
- velmi dobře koreluje s Gleason skóre a zvyšuje klinickou specifitu detekce KP
- má široké využití v režimu aktivní surveillance
- přináší další rozhodovací kritérium pro lékaře
- snižuje počet zbytečných biopsií



I ve složitých časech ...

MYSLEME NA PREVENCI

Test **phi** může pomoci rozhodnout, jestli zvýšené hodnoty PSA znamenají riziko rakoviny prostaty a jestli je nutné podstoupit biopsii.

